

APPENDIX B-66

VIOLATION/SUSPENSE CONTROL REENTRY
(INPUT OPTION CODE 1)

1. This transaction is manually prepared by processing personnel (ORC) to provide corrective data to the Violation Control File for violations output in the format of appendix F-122. See DLA Form 844 for format.

2. This document can be processed through SAMMSTEL by entering Verb SODE as described in DLAH 4745.2, Volume I, Part 1, DLA Remote Users Handbook.

3. The following are the fields in the transaction:

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Document Identifier Code	1-3	Enter DIC ZLR.
Output Routing Code	4-5	Enter ORC of processing personnel.
Commodity Manager Code	6	Enter the applicable Commodity Manager Code.
Violation Control Number	7-12	Enter applicable control number reflected on output appendix F-122.
Violation Reentry Code	13-14	Enter the applicable code from appendix A-62 as follows: For release of violation from the suspense file for normal processing, enter AR or ER. To effect cancellation of a MILSTRIP transaction is a result of receipt of cancellation request from the requisitioner, consignee, manager or other authorized activity enter BQ, BR, or BS.

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
		To delete the violation from the suspense file, enter D in pos. 13 and leave pos. 14 blank.
		To delete the violation from the suspense file and create a Passing Order, DIC A3_, enter BM in pos. 13-14 and RIC of ICP as a correction in pos. 67-69.
		To pass a requisition To pass a requisition off-line to another ICP for lateral support and delete the violation from the suspense file, enter ZK. Supply Status Card, DIC AE_ with Status Code BM will be output to the requisitioner but no passing order, DIC A3_, will be output to the ICP in pos. 67-69 providing lateral support.
		To effect rejection of a MILSTRIP transaction, enter the applicable MILSTRIP C_, D2, D3, D4, D6, or D8 Status Code in pos. 13-14.
Pointer	15	Enter the special character @ to denote there is corrective data field(s).
Location	16-19	Enter the beginning pos. in 16-17 and ending pos. in 18-19 of data fields for which corrective data is being entered in pos. 20-80. (See Note 2.)

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Variable Data	20-80	Enter the corrective data to be inserted into the suspense record in the positions stipulated by the location field (pos. 16-19).

NOTE 1: This reentry document provides for the correction of multiple errors in pos. 15-19 by inserting the pointer, location and applicable corrective data for each error. Violation Reentry Code AR is applicable for this type of multiple corrections.

NOTE 2: Requisition type violation documents (original DIC A0_, A2_, A3_, or A4_) cannot have pos. 30-43 (document number) entered as the field to be corrected. If it is entered, the violation reentry will be rejected on appendix F-119 with Reject Code 2.